

Bromoacetyl-propyl-methylacrylamide Attachment System




Figure 2

Year	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




Figure 3B

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		



Target Hybridization Under Various Electronic Conditions; Plasma Graft




Figure 6

650250-650250

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		





Figure 7

2025-01-20 10:00:00


APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

General Schemes

Scheme 1



Scheme 2



Scheme 3




Figure 10

APPROVED	O. G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

**Electronic Deprotection, Dihydrazide attachment,
Reverse Dot Blot Analysis of an Acetal Hydrogel**




Figure 11

20250101 10:50:10

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Electronic Deprotection of an acetal with Detection by Amine Terminated ATA7-BTR




Figure 12

2002-03-20 14:40

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Specific and Nonspecific Binding of Biomolecules to A
capture Applied with the Solution Grafting Method




Figure 17B

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




Figure 19




Figure 20

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




Figure 21

APPROVED	O G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

**Bromoacetamide-SHA: Electronic Attachment of BTR
Labeled Probes**




Figure 24B

2025-05-14 14:14:14